

WE OFFER  
PERFECT  
MIXING  
TECHNOLOGIES



PHARMACEUTICAL



NUTRACEUTICAL



FOOD



CHEMICAL



BIO




HEALTH & BEAUTY



**PCH SHEAR PUMP**

## PCH SHEAR PUMP



PerMix PCH series Shear Pump combines the advantage of both a centrifugal pump and an inline high shear mixer. It achieves the balance of pumping efficiency and shearing energy.

PerMix Shear Pump has a pair of stator rotor, and the rotor is made of a pumping impeller in the center and a toothed ring. By this design, PerMix Shear Pump can keep a medium shearing performance while give a fairly large pumping capability. When a higher shearing is required, the customer can go for the PerMix PC series Inline Emulsifying Mixer.

PerMix PCH Shear Pump is designed and built in all stainless steel, especially for hygienic applications, for example dairy, food, cosmetics and pharmaceutical industries. PerMix Shear Pump can be easily cleaned with CIP (Clean In Place) system to save time and labor.

By installing an optional hopper or a feeding table, PerMix Shear Pump is converted to a Powder Liquid Mixer, to be able to dissolve/disperse free flowing powder material into light liquid in a quite fast and efficient way.

## FEATURES & OPTIONS

PCH Shear Pump is ideal for dairy, beverage, food and other hygienic applications, with the following features and options:

- Compact and streamlined design
- All built in stainless steel, with a stainless steel motor shroud
- Easy assembly and disassembly
- Free flow powder induction, high efficiency, free of lumps and fish-eyes
- 90% process time reduction compared with conventional agitator mixing
- CIP available
- Interchangeable stator rotor of various type for different purposes (Option)



# APPLICATIONS

Some typical applications of PCH Shear Pumps:

## Food & Beverage

Butter, Canned foods, Cheese, Condiments, Dairy, Dressings, Flavorings, Ice cream, Juices, Ketchup, Salads, Syrup, Yogurt

## Pharmaceuticals

Cough syrup, Emulsion, Medicine, Ointment, Pharmaceutical, Vaccine, Veterinary drug

## Cosmetics

Creams, Detergent, Gels, Hair conditioner, Lotions, Shampoo, Tooth paste



# SPECIFICATIONS

Model	Motor, kW	RPM, @50Hz	Max. Liquid Capacity, L/hr	Max. Powder Capacity, Kg/min	Size [DN]	
					Inlet	Outlet
PCH-100	3-4	3,000	5,000	3	40	32
PCH-130	5.5-7.5		10,000	10	50	40
PCH-160	11-18.5		20,000	18	65	50
PCH-190	22-30		30,000	32	65	50
PCH-210	30-37		40,000	50	80	65

- Actual liquid/powder capacity will vary depending on the material characters and stator rotor type.
- PerMix offers bigger capacity according to customer requests.
- PerMix reserves the right to modify the design without notice.

**PerMix Tec Co., Ltd.**

Room 1-1214, No.1888,  
N. Shengxin Rd, Jiading,  
Shanghai, 201807, China

Tel: +86-133-9116-8218

Fax: +86-21-3375-8218

[www.permixtec.com](http://www.permixtec.com)

[www.permix-mixing.com](http://www.permix-mixing.com)

**PerMix in China**

Shanghai, 201821, China

Contact: Mr. Aaron Huang

Tel: +86 133 911 68218

Email: [aaron.h@permixtec.com](mailto:aaron.h@permixtec.com)

**PerMix in Israel**

Adi 17940, Israel

Contact: Mr. Arie Srugo

Tel: +972-54-908-0144

Email: [srugo@permixtec.com](mailto:srugo@permixtec.com)

**PerMix North America**

Chicago, Illinois,

60601, USA

Contact: Mr. John Paul

Tel: +1 630-649-1357

Email: [John.paul@permixtec.com](mailto:John.paul@permixtec.com)

**South America office**

Buenos Aires, Argentina

Contact: Mr. Gonzalo Villagra

Tel: +54-9-11-35374801

Email: [gonzalo.villagra@permixtec.com](mailto:gonzalo.villagra@permixtec.com)

**UK office**

Scotland, UK

Contact: Mr. James Ryder

Tel: +44 (0) 7554139667

Email: [james.ryder@permixtec.com](mailto:james.ryder@permixtec.com)

**South Africa office**

South Africa

Contact: Mr. Martin Whelan

Email: [saf@permixtec.com](mailto:saf@permixtec.com)

**Russia office**

Contact: Mr. Vladislav Dyuzhev

Tel: + 7 910 443 9924

Email: [ru@permixtec.com](mailto:ru@permixtec.com)

**Ukraine office**

Contact: Mr. Viacheslav Pishyi

Tel: +38 067 45 44 694

Email: [ua@permixtec.com](mailto:ua@permixtec.com)

